DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/12/2016 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		151523	B. WING _			06/28/2016	
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP C	CODE		
ST FRANCIS HOSPICE				421 N EMERSON AVENUE			
			GREENWOOD, IN 46143				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	((EACH CORRECTIVE ACT CROSS-REFERENCED TO 1	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		
L 000	00 INITIAL COMMENTS		LO	000			
	addition of inpatient h	elocation of the agency, ospice services at the new or federal recertification and					
	Survey Dates June 22 2016	2-24, 2016 and June 27-28,					
	Facility ID 6347						
	Provider ID 15-1523 Medicaid Vendor # 20040190 Unduplicated 12 month census 597 Records Reviewed 13 Bereavement records reviewed 2 Home Visits with record review 3						
	St Francis Hospice was 42 CFR 418 for hospi	as found in compliance with ce agencies.					

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.